

ADAM SOFFITTO

HIKARU MORI 2006

120



122



122



122



126



128



130



50



COLLECTION

LAMPADE IN ESTRUSO D'ALLUMINIO DA SOFFITTO O PLAFONE,
INSTALLABILI CON ROSONE O CON PIASTRE AD INCASSO.

SUSPENSION OR CEILING LAMPS OF EXTRUDED ALUMINIUM
TO MOUNT THROUGH CEILING OR FROM RECESSED PLATES.



LEUCHTEN AUS STRANGPRESS-ALUMINIUM FÜR WAND ODER DECKE,
MIT ROSETTE ODER EINBAUPLATTE INSTALLIERBAR.

LAMPES EN ALUMINIUM EXTRUDÉ, SUSPENSION OU PLAFONNIER,
À INSTALLER PAR CACHE-PLAFOND OU PLAQUES ENCASTRÉE.

IN- EN UITSCHUIFBARE SPOTS. ORIËNTEERBARE OF VASTE
VERLICHTING. REGELBAAR IN DIEPTE BINNEN DE SPOT ZELF.


LAMPARAS EN EXTRUSO DE ALUMINIO DE TECHO O PLAFON,
INSTALABLES CON ROSÓN O CON PLANCHA PARA EMPOTRAR.




NOME / NAME	ADAM 60 SOSPENSIONE H	ADAM 60 SOSPENSIONE IM
DESCRIZIONE / DESCRIPTION	LAMPADA ALOGENA HALOGEN SUSPENSION LAMP	LAMPADA A IODURI METALLICI METAL HALIDE SUSPENSION LAMP
CODICE / CODE	04945	04947
PORTALAMPADA / LAMP HOLDERS	E27	GX 10
LAMPADINA / BULBS		
POTENZA / POWER	MAX 75W PAR25 - HI SPOT 80	35W - BRITE SPOT
TENSIONE / TENSION	230V	230V
ILCOS	HAPAR	MRS/UB
ALIMENTATORE / CONTROL GEAR	-	ELETTRONICO INCL. / ELECTRONIC INCL.
CLASSE IP / IP CLASS	IP 20	IP 20
CLASSE ISOLAMENTO / INSULATING CLASS	II	I
PESO NETTO KG / KG NET WEIGHT	2,500	2,700
FINITURE / FINISH		
BIANCO OPACO / WHITE MATT	01	01
CROMO INTERNO BIANCO / CHROME INSIDE WHITE	63	63
MARCHI / MARKS	CE - F	CE - F
ACCESSORI / ACCESSORIES		
PER MONTAGGIO A SOFFITTO CEILING INSTALLATION	COD. 04958 ROSONE CODE 04958 CEILING PLATE	COD. 04958 ROSONE CODE 04958 CEILING PLATE
PER MONTAGGIO SU CONTROSOFFITTO COUNTERCEILING INSTALLATION	COD. 04957 PIASTRA CODE 04957 PLATE	COD. 04957 PIASTRA CODE 04957 PLATE
INFO	VETRINO DI PROTEZIONE INCLUSO PROTECTIVE GLASS INCLUDED	VETRINO DI PROTEZIONE INCLUSO PROTECTIVE GLASS INCLUDED





04958



04957 +
CORNICE / FRAME
(VEDI PAG. 120)
(SEE ON PAGE 120)





NOME / NAME	ADAM 60 PLAFONE H	ADAM 25 PLAFONE DICROICO
DESCRIZIONE / DESCRIPTION	FISSO	ORIENTABILE
	HALOGEN CEILING SPOT, FIXED REFLECTOR HOUSING	HALOGEN CEILING SPOT, SWIVELLING
CODICE / CODE	04940	04937
PORTALAMPADA / LAMP HOLDERS	E27	GU 5,3
LAMPADINA / BULBS		
POTENZA / POWER	MAX 75W HI SPOT 80	MAX 50W
TENSIONE / TENSION	230V	230/12V
ILCOS	HAPAR	HRGI
TRASFORMATORE / TRANSFORMER	-	ELETTRONICO INCLUSO ELECTRONIC INCLUDED
CLASSE IP / IP CLASS	IP 20	IP 20
CLASSE ISOLAMENTO / INSULATING CLASS	I	I
PESO NETTO KG / KG NET WEIGHT	1,400	1,300
FINITURE / FINISH		
BIANCO OPACO / WHITE MATT	01	01
GRIGIO ARGENTO OPACO / MATT SILVER GREY	19	19
CROMO INTERNO BIANCO / CHROME INSIDE WHITE	63	63
MARCHI / MARKS	CE - F	CE - F
INFO	VETRINO DI PROTEZIONE INCLUSO PROTECTIVE GLASS INCLUDED	



10

61,5



10

26,5

