

STRESA FLAT

ASAHARA SIGEAKI 1995



COLLECTION

LAMPADE A LUCE DIFFUSA.

DIFFUSORI - Ø 22,5/38 CM - IN VETRO STAMPATO TRASPARENTE O SABBATO.

SCHERMO RIFLETTENTE IN ALLUMINIO, SUPPORTO PARETE IN TECNOPOLIMERI.

LAMPS WITH DIFFUSED LIGHTING.

DIFFUSER - Ø 22,5/38 CM - OF PRESSED TRANSPARENT OR SANDBLAST GLASS.

REFLECTOR ALUMINIUM BAFFLE. SUPPORT ARM MANUFACTURED IN TECHNOPOLYMER.

LEUCHTEN MIT DIFFUSEM LICHT.

DIFFUSOREN - Ø 22,5/38 CM - AUS GEPRESSTEM GLAS, TRANSPARENT ODER SATINIERT.

REFLEKTOR AUS ALUMINIUM, WANDHALTERUNG AUS KUNSTSTOFF.

LAMPES AVEC LUMIÈRE DIFFUSE.

DIFFUSEURS - Ø 22,5/38 CM - EN VERRE PRESSÉ TRANSPARENT OU SABLÉ.

ÉCRAN RÉFLÉCHISSANT EN ALUMINIUM, PATÈRE EN TECNOPOLYMÈRE.

LAMPEN MET DIFFUUS LICHT.

DIFFUSOR VAN 22,5/38 CM DOORMETER IN GEPRIST GLAS: TRANSPARANT OF MAT.



REFLECTOR IN ALUMINIUM. PLAFONDPLAAT IN TECHNOPOLYMEER.

LAMPARA CON LUZ DIFUSA.

DIFUSOR - DIAMETRO 22,5/38 CM - EN CRISTAL ESTAMPADO TRASPARENTE O ARENADO.

PANTALLA REFLECTANTE EN ALUMINIO, SOPORTE PARED EN TECNOPOLIMEROS.



NOME / NAME	STRESA FLAT	STRESA G FLAT
DESCRIZIONE / DESCRIPTION	LAMPADA DA PARETE WALL LAMP	LAMPADA DA PARETE WALL LAMP
CODICE / CODE	05570	05575
PORTALAMPADA / LAMP HOLDERS	E27	E27
LAMPADINA / BULBS		
POTENZA MAX / MAX POWER	100W H - 100W I - 15W FL EL	250W H - 150 W I - 23W FL EL
TENSIONE / TENSION	230V	230V
ILCOS	HE - IA - FB	HE - IA - FB
CLASSE IP / IP CLASS	IP 20	IP 20
CLASSE ISOLAMENTO / INSULATING CLASS	II	II
PESO NETTO KG / KG NET WEIGHT	1,100	2,200
FINITURE VETRO / GLASS FINISH		
TRASPARENTE / TRANSPARENT	78	78
TRASPARENTE ACIDATO / ACID-ETCHED CLEAR	79	79
MARCHI / MARKS	IMQ - CE - F	IMQ - CE - F
INFO	-	VITE PER REGOLAZIONE PARALLELISMO MECHANISM PROVIDING PRECISE VERTICAL ALIGNMENT

